

Supplementary Notes

The following list includes those cultivars that did not appear in the checklists or the 2003 Register or have since been registered or have appeared elsewhere, as well as further information on certain listed cultivars. For older hybrids, the Passiflora checklist (Ref. 1) should be consulted if the correct crossing direction is required; this was not shown in the 2003 Register. The inclusion of a name in this list does not imply that it is necessarily an acceptable name under the provisions of the International Code of Nomenclature for Cultivated Plants (2004).

Name	Comments
<i>P.</i> 'Abigail'	<i>P. amethystina</i> var. <i>bolosii</i> (♀) × <i>P. loefgrenii</i> 'Corupa' (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Adelheid'	<i>P. rubra</i> (♀) × <i>P. citrina</i> (♂). See newly-registered cultivars list (2009).
<i>P.</i> 'Adoroso'	<i>P. incarnata</i> f. <i>alba</i> (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Albert'	<i>P. coriacea</i> (♀) × <i>P. megacoriacea</i> (♂). See newly-registered cultivars list (2010).
<i>P.</i> 'Albiflora'	See <i>P. foetida</i> 'Albiflora'.
<i>P.</i> 'Alena'	<i>P. incarnata</i> (♀) × <i>P. caerulea</i> 'Constance Elliott' (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> 'Alexia'	<i>P. gritensis</i> (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> 'Allegra'	<i>P. incarnata</i> × <i>P. cincinnata</i> 'Dark Pollen'. Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm .
<i>P.</i> 'Allspice'	Not in the 2003 Register or checklists. A seedling of <i>P.</i> 'Incense'? See discussion 2/10/2004 @ Ref 3.
<i>P.</i> 'Alva'	<i>P. palmeri</i> var. <i>sublanceolata</i> (♀) × <i>P. foetida</i> var. <i>foetida</i> (♂). See newly-registered cultivars list (2008).
<i>P.</i> 'Alwin Berger'	<i>P.</i> 'White Wedding' (♀) × <i>P. loefgrenii</i> 'Iporanga' (♂). See newly-registered cultivars list (2011).
<i>P.</i> 'Alzire'	<i>P.</i> 'Amethyst' (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2009).

<i>P. 'Amalia'</i>	<i>P. 'Blue Star' (♀) × P. amethystina</i> São Sebastião (♂). See newly-registered cultivars list (2004) and <i>Passiflora</i> 14(1), 16 (2004).
<i>P. 'Amanda Joy'</i>	<i>P. 'Mary Jane' (♀) × P. ? (♂)</i> . See newly-registered cultivars list (2007).
<i>P. 'Ametcaer'</i>	<i>P. amethystina (♀) × P. caerulea (♂)</i> . Tetraploid. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Amethyst'</i>	Almost certainly the original <i>P. ×kewensis</i> (see below), i.e. <i>P. caerulea (♂) × P. kermesina (♀)</i> . <i>Passiflora</i> 13(1), 13-16 (2003), <i>Passiflora</i> 12(1), 18-26 (2002), <i>Passiflorunde</i> , 10(1), 2-13 (2002) and <i>Passiflorunde</i> 11(4), 10-16 (2003). The full name should therefore be <i>P. ×kewensis</i> 'Amethyst'.
<i>P. 'Amethyst Star'</i>	Believed to be a synonym for <i>P. 'Amethyst'</i> .
<i>P. amethystina</i> ‘Corumbá de Goias’	<i>Selection of P. amethystina</i> . Not in the 2003 Register or checklists. See http://mpeixoto.sites.uol.com.br/
<i>P. amethystina</i> ‘Macaé de Cima’	<i>Selection of P. amethystina</i> . Not in the 2003 Register or checklists. See http://mpeixoto.sites.uol.com.br/
<i>P. amethystina</i> ‘Minas Gerais’	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. amethystina</i> ‘Pico de Itapeva’	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. amethystina</i> ‘Pico do Frade’	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. amethystina</i> ‘Santa Tereza’	Not in the 2003 Register or checklists. See http://www.passiflora.it/imieibridi.htm
<i>P. amethystina</i> ‘São Sebastião’	Selection of <i>P. amethystina</i> . Not in the 2003 Register or checklists and not to be confused with <i>P. edulis</i> ‘São Sebastião’ shown in 2001 checklist (Ref. 1).
<i>P. 'Angelface'</i>	<i>P. kermesina (♀) × P. eichleriana (♂)</i> . See newly-registered cultivars list (2007).
<i>P. 'Angelo Blu'</i>	Shown as <i>P. amethystina × P. subpeltata</i> in <i>Passiflorunde</i> checklist and as <i>P. 'Angelo Blue'</i> and <i>P. 'Amethyst' × P. subpeltata</i> in the 2003 Register.

<i>P. 'Aninha'</i>	<i>P. palmeri</i> var. <i>sublanceolata</i> (♀) × <i>P. foetida</i> var. <i>foetida</i> (♂). See newly-registered cultivars list (2008).
<i>P. 'Anke'</i>	<i>P. incarnata</i> (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2005).
<i>P. 'Anni Dierckx'</i>	<i>P. 'Annette'</i> (♀) × <i>P. caerulea</i> 'Pierre Pomie' (♂). See newly-registered cultivars list (2009).
<i>P. 'Annika'</i>	<i>P. 'Pura Vida'</i> × <i>P. garckeii</i> . For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P. 'Arabesque'</i>	<i>P. 'Aurora'</i> × <i>P. sublanceolata</i> . See newly-registered cultivars list (2010).
<i>P. 'Aracne'</i>	<i>P. tucumanensis</i> (♀) × <i>P. nephrodes</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm .
<i>P. 'Aragorn'</i>	Not in the 2003 Register or checklists. R Fischer. <i>P. kermesina</i> (♀) × <i>P. oerstedii</i> var. <i>choconiana</i> (♂).
<i>P. 'Arapuni'</i>	<i>P. loefgrenii</i> 'Corupa' (♀) × <i>P. 'Purple Haze'</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Ariane'</i>	<i>P. gritensis</i> (♀) × <i>P. loefgrenii</i> 'Iporanga' (♂). See newly-registered cultivars list (2007).
<i>P. 'Aruska'</i>	<i>P. loefgrenii</i> 'Corupa' (♀) × <i>P. 'Simpin'</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Asmara'</i>	<i>P. incarnata</i> (♀) × <i>P. loefgrenii</i> 'Corupa' (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. ×atropurpurea</i>	Plants now cultivated under this name are thought to be a form of <i>P. ×violacea</i> (i.e. <i>P. racemosa</i> × <i>P. caerulea</i>). Also shown as <i>P. atropurpurea</i> .
<i>P. 'Atropos'</i>	<i>P. 'Amethyst'</i> (♀) × <i>P. amethystina</i> 'Minas Gerais' (♂). See newly-registered cultivars list (2011).
<i>P. 'Azul Celeste'</i>	<i>P. 'Sweet Surrender'</i> (♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2009).

<i>P. 'Bahama Mama'</i>	<i>P. 'Colet'</i> (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Bahia'</i>	See <i>P. cincinnata</i> 'Bahia'.
<i>P. 'Banshee'</i>	<i>P. 'Byron Beauty'</i> (♀) × <i>P. 'Byron Beauty'</i> (♂). See newly-registered cultivars list (2004).
<i>P. 'Beaky'</i>	<i>P. × violacea</i> 'Victoria' × <i>P. caerulea</i> . C. Beardshaw, unregistered.
<i>P. 'Becky Speed'</i>	<i>P. cobanensis</i> (♀) × <i>P. citrina</i> (♂). See newly-registered cultivars list (2004).
<i>P. 'Bella'</i>	<i>P. gardneri</i> (♀) × <i>P. gibertii</i> (♂). See newly-registered cultivars list (2010).
<i>P. 'Berkeley'</i>	Origin unknown. It could be a variant of <i>P. subpeltata</i> or a previously undescribed hybrid of that species, possibly with <i>P. caerulea</i> . Differs from normal forms of <i>P. subpeltata</i> in having larger flowers and foliage, variable purple/blue coloration to corona and in being more vigorous and hardier. Named after location in California where it was found in cultivation in 2006.
<i>P. Betsie Greijmans'</i>	Shown as <i>P. 'Mdme Betsie Greijmans'</i> in Ref. 2.
<i>P. 'Betty Myles Young'</i>	<i>P. 'Clear Sky'</i> (♀) × <i>P. loefgrenii</i> 'Iporanga' (♂). See newly-registered cultivars list (2005).
<i>P. 'Blaumilch'</i>	Not in the 2003 Register or checklists. <i>P. garckeii</i> × <i>P. caerulea</i> 'Constance Elliott'. See http://www.blumen-passiflora.de/home.htm and Ref. 2.
<i>P. 'Blaupunkt'</i>	<i>P. 'Blaumilch'</i> (♀) × <i>P. amethystina</i> (♂). Axel Frank and Franz Dülli. Not registered.
<i>P. 'Blowback'</i>	<i>P. × exoniensis</i> (♀) × <i>P. umbilicata</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Blue Bride'</i>	<i>P. incarnata</i> 'Alba' (♀) × <i>P. loefgrenii</i> 'Iporanga' (♂). See newly-registered cultivars list (2005).
<i>P. 'Blue Byte'</i>	Complex tetraploid hybrid of <i>P. incarnata</i> , <i>P. edulis</i> and <i>P. cincinnata</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Blue Circle'</i>	<i>P. × violacea</i> (♀) × <i>P. loefgrenii</i> 'Corupa' (♂). See newly-registered cultivars list (2011).

<i>P.</i> ‘Blue Crown’	Thought to be a hybrid of <i>P.</i> ‘White Wedding’ and <i>P. caerulea</i> . See http://www.passionflow.co.uk/passiflora-blue-crown.htm . The term “blue crown” has also been used in a less formal way to refer to <i>P. caerulea</i> .
<i>P.</i> ‘Blue for you’	<i>P. incarnata</i> (♀) × <i>P.</i> ? (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Blue Horizon’	Not in the 2003 Register or checklists. Patrick Worley. Parentage not stated. See Ref. 2 and http://www.suncrestnurseries.com/descriptcat/passiflora.html
<i>P.</i> ‘Blue Splash’	<i>P.</i> ‘Colet’ (♀) × <i>P.</i> aff. <i>crassifolia</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Blue Stripper’	<i>P. incarnata</i> (♀) × <i>P. umbilicata</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Blue Surprise’	<i>P. caerulea</i> (♀) × <i>P. loefgrenii</i> ‘Iporanga’ (♂). See newly-registered cultivars list (2004) and <i>Passiflora</i> 14(1), 16 (2004).
<i>P.</i> ‘Blue Velvet’	Shown in the 2003 Register as a selection of <i>P. incarnata</i> , but could be a diploid version of <i>P.</i> ‘Inspiration’, i.e. <i>P. incarnata</i> (♀) × <i>P. cincinnata</i> (♂). R Fischer.
<i>P.</i> ‘Blütegeist’	<i>P. incarnata</i> (♀) × <i>P.</i> ‘Jutta’ (♂). See newly-registered cultivars list (2008).
<i>P.</i> ‘Bonita’	Not in the 2003 Register or checklists. <i>P. racemosa</i> × <i>P. tucumanensis</i> . See http://www.blumen-passiflora.de/home.htm and Ref. 2.
<i>P.</i> ‘Boomerang’	<i>P. cuneata</i> ‘Miguel Molinari’ (♀) × <i>P. amalocarpa</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Bright Eyes’	<i>P.</i> ‘Angelo Blu’ (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> ‘Brökwagter’	Also shown as ‘Brögwagter’.
<i>P.</i> ‘BRS Estrela do Cerrado’	<i>P. coccinea</i> × <i>P. setacea</i> . Produced by ‘Embrapa’, Brazil. To be registered under plant breeders’ rights in 2008.
<i>P.</i> ‘BRS Roseflora’	<i>P.</i> ‘BRS Estrela do Cerrado’ × <i>P. setacea</i> . Produced by ‘Embrapa’, Brazil. To be registered under plant breeders’ rights in 2008.

<i>P.</i> ‘BRS Rubiflora’	<i>P.</i> ‘BRS Estrela do Cerrado’ × <i>P. coccinea</i> . Produced by ‘Embrapa’, Brazil. To be registered under plant breeders’ rights in 2008.
<i>P.</i> ‘Buzios’	See <i>P. racemosa</i> ‘Buzios’.
<i>P.</i> ‘Byron Beauty’	In summer 1979, a clone of <i>P. incarnata</i> collected by H.F. Winters in Maryland was crossed with three introductions of <i>P. edulis</i> : P. 424813, a purple-fruited form collected wild in Brazil, <i>P. edulis</i> f. <i>flavicarpa</i> and an intraspecific hybrid derived from crossing a purple fruited strain from Australia ('Norfolk Island') with a clone of <i>P. edulis</i> f. <i>flavicarpa</i> (P. 243804) brought to Florida from Trinidad. Resulting offspring was tetraploidized and intercrossed by Dr. Knight (USDA). But some plants sold as <i>P.</i> ‘Byron Beauty’ are probably diploid crosses of <i>P. incarnata</i> and <i>P. edulis</i> .
<i>P.</i> ‘Byte’	Not in the 2003 Register or checklists. R Fischer. Tetraploid cross of <i>P.</i> ‘Byron Beauty’ and <i>P.</i> ‘Inspiration’. See http://www.blumen-passiflora.de/home.htm .
<i>P.</i> ‘Byte Red Fruit’	Complex tetraploid hybrid of <i>P. incarnata</i> , <i>P. edulis</i> and <i>P. cincinnata</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Cacita’	According to the 2001 checklist (Ref. 1) this is a hybrid of <i>P.</i> ‘Capsang’ and <i>P. citrina</i> , but in the 2003 Register it is shown as a hybrid of <i>P. citrina</i> and <i>P.</i> ‘Adularia’.
<i>P. caerulea</i> 'Alisus Betica'	See newly-registered cultivars list (2008).
<i>P. caerulea</i> 'Chinensis'	Not in the 2003 Register, but listed in 2001 checklists. See Ref. 2. May be the same cultivar as <i>P.</i> ‘China Blue’.
<i>P. caerulea</i> 'Majorca'	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. caerulea</i> 'Wild Brazil'	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. caerulea</i> 'Gala'	See newly-registered cultivars list (2004).
<i>P.</i> ‘Calipso’	<i>P.</i> × <i>colvillii</i> (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2010).

<i>P. 'Cannelle'</i>	Not in the 2003 Register or checklists. J. Segalen. <i>P. coccinea</i> (♀) × <i>P. incarnata</i> (♂). See 2005 colour atlas, Ref. 2. Following the revision of certain species within <i>Distephana</i> by John Vanderplank in 2006, the <i>P. coccinea</i> parent could have been <i>P. miniata</i> .
<i>P. ×caponii</i>	Now believed to be a (triploid) form of <i>P. ×allardii</i> (i.e. <i>P. quadrangularis</i> × <i>P. caerulea</i>). Passiflorunde 12(1), 12-13 (2004).
<i>P. 'Caprice'</i>	<i>P. kermesina</i> × <i>P. tucumanensis</i> . See newly-registered cultivars list (2010).
<i>P. 'Carioca'</i>	See <i>P. racemosa</i> 'Carioca'.
<i>P. 'Céline'</i>	<i>P. 'Pink Nightmare'</i> (♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2004).
<i>P. 'Chave'</i>	<i>P. ×violacea</i> (♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2007).
<i>P. cinnincata</i> 'Bahia'	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Chinensis'</i>	See <i>P. caerulea</i> 'Chinensis'.
<i>P. 'Chiquito'</i>	<i>P. 'Morning Star'</i> (♀) × <i>P. gritensis</i> (♂). See newly-registered cultivars list (2009).
<i>P. 'Christine Murray'</i>	<i>P. caerulea</i> (♀) × <i>P. ×decaisneana</i> (♂). See newly-registered cultivars list (2005).
<i>P. 'Clara Luna'</i>	<i>P. caerulea</i> 'Constance Eliott' (♀) × <i>P. eichleriana</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Clear Sky'</i>	A complex tetraploid hybrid of <i>P. caerulea</i> and <i>P. amethystina</i> .
<i>P. 'Cloudy'</i>	<i>P. 'Sweet Surrender'</i> (♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2009).
<i>P. 'Connor Cailean'</i>	<i>P. loefgrenii</i> 'Corupa' (♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2008).
<i>P. 'Contento'</i>	<i>P. gritensis</i> (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Coocoochee'</i>	Not in the 2003 Register or checklists. R Fischer. (<i>P. 'Amethyst'</i> × <i>P. racemosa</i>) × <i>P. gritensis</i> .

<i>P.</i> ‘Coronata’	<i>P. alata</i> (♀) × <i>P. edulis</i> f. <i>edulis</i> (♂). See newly-registered cultivars list (2006).
<i>P.</i> ‘Corry Rooymans’	Passiflora 13(1), 18 (2003). <i>P.</i> ‘Rosa Stern’ × <i>P. alata</i> .
<i>P.</i> ‘Corupa’	See <i>P. loefgrenii</i> ‘Corupa’.
<i>P.</i> ‘Cupid’s Blush’	<i>P.</i> ‘Kew Gardens’ (♀) × <i>P. ×violacea</i> (unnamed backcross) (♂). See newly-registered cultivars list (2005). Same parentage as <i>P.</i> ‘Kudos’ and <i>P.</i> ‘Tequila Sunrise’.
<i>P.</i> ‘Cutie’	<i>P.</i> ‘Kew Gardens’ (♀) × <i>P.</i> ‘Constance Elliott’ (♂). David Costen.
<i>P.</i> 'Dafne'	<i>P. edmundoi</i> × <i>P. kermesina</i> . See newly-registered cultivars list (2010).
<i>P.</i> 'Dala'	<i>P. amethystina</i> (♀) × <i>P.</i> ‘Thuraia’ (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Dark Purple’	See <i>P. incarnata</i> ‘Dark Purple’.
<i>P.</i> ‘Daylight’	<i>P. incarnata</i> × ? For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P.</i> × <i>decaisneana</i>	Often sold labelled as “ <i>P. quadrangularis</i> ”.
<i>P.</i> 'Déjà Vu'	<i>P. kermesina</i> (♀) × <i>P. caerulea</i> ‘Constance Elliott’ (♂). Tetraploid. See newly-registered cultivars list (2005).
<i>P.</i> 'Diamantina'	<i>P.</i> 'Guglielmo Betto' × <i>P. subpeltata</i> . See http://www.passiflora.it/imieibridi.htm
<i>P.</i> 'Diane King'	<i>P. ×violacea</i> ‘Victoria’ (♀) × <i>P. loefgrenii</i> ‘Corupa’ (♂). See newly-registered cultivars list (2005).
<i>P.</i> 'Divertido'	[<i>P. tripartita</i> var. <i>mollissima</i> (♀) × <i>P. mixta</i> (♂)] (♀) × <i>P. luzmarina</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Dominik’	<i>P. citrina</i> × ? For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P.</i> ‘Donna Brigham’	Not in the 2003 Register or checklists. Patrick Worley. Hybrid of <i>P. pinnatistipulata</i> . See Ref. 2 and http://www.suncrestnurseries.com/descriptcat/passiflora.html .

<i>P. 'Doris'</i>	<i>P. incarnata</i> × ? For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P. eichleriana</i> ‘Mauro Peixoto’	<i>See newly-registered cultivars list (2004).</i>
<i>P. 'Eden'</i>	<i>P. ‘Amethyst’ × P. caerulea</i> . Not in the 2003 Register or checklists.
<i>P. 'Elegante'</i>	<i>P. kermesina</i> (♀) × <i>P. mucronata</i> (♂). See newly-registered cultivars list (2009).
<i>P. 'Els'</i>	Not in the 2003 Register or checklists. Henk Wouters 2002. See Ref. 2 (<i>P. trisecta</i> × <i>P. mixta</i>).
<i>P. 'Ely'</i>	According to the breeder (Henk Wouters), this is <i>P. ×violacea</i> × <i>P. caerulea</i> and not <i>P. ‘Amethyst’ × P. caerulea</i> as shown in the 2001 checklists and the 2003 Register.
<i>P. 'Emina'</i>	Not in the 2003 Register or checklists. K. Delic. A complex hybrid of <i>P. ‘Incense’</i> , <i>P. incarnata</i> and <i>P. caerulea</i> . See 2005 colour atlas (Ref. 2).
<i>P. 'Escobar'</i>	See <i>P. manicata</i> ‘Escobar’.
<i>P. 'Etna'</i>	<i>P. 'Asterix' (?) × P. loefgreni</i> 'Iporanga'. Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm
<i>P. 'Evergreen'</i>	Identity unknown.
<i>P. 'Ex Menton'</i>	Tacsonia hybrid of uncertain parentage. See http://www.toms-treibhaus.de/Startseite/Passiflora_Galerie_passi/Hybrid_en_Sorten/Passiflora_Tacsonia_ex_Menton/passiflora_tacsonia_ex_menton.html
<i>P. ×exoniensis</i>	Often sold as <i>P. antioquiensis</i> . Apart from the original clone, which was first described in 1916, the same cross (<i>P. antioquiensis</i> × <i>P. tripartita</i> var. <i>mollissima</i>) occurred as a natural hybrid at Strybing Arboretum. Shown as <i>P. ‘Strybing Red’</i> in the 2003 checklist, its full name should be <i>P. ×exoniensis</i> ‘Strybing Red’.
<i>P. 'Eye of the Storm'</i>	<i>P. ‘Morning Star’</i> (♀) × <i>P. gritensis</i> (♂). See newly-registered cultivars list (2005).
<i>P. 'Fantasma'</i>	<i>P. × exoniensis</i> (♀) × <i>P. umbilicata</i> (♂). See newly-registered cultivars list (2009).

<i>P. 'Fata Confetto'</i>	<i>P. 'Guglielmo Betto' × P. incarnata?</i> . See newly-registered cultivars list (2007).
<i>P. 'Fertility'</i>	Not in the 2003 Register or checklists. R Fischer. Tetraploid cross of <i>P. incarnata</i> and <i>P. cincinnata</i> .
<i>P. 'Fiametta'</i>	<i>P. 'Asterix' (♀) × P. spucei (♂)</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm .
<i>P. 'First Love'</i>	<i>P. kermesina (♀) × P. oerstedii (♂)</i> . See newly-registered cultivars list (2005).
<i>P. 'Flirtation'</i>	<i>P. gritensis (♀) × P. loefgrenii 'Corupa' (♂)</i> . See newly-registered cultivars list (2007).
<i>P. 'Flying V'</i>	The 2003 Register only credits Myles Irvine, but as he had not formally submitted the cross for inclusion in the 2003 Register, he has asked me to show the breeders as Mark Cooper (USA) and Myles Irvine (UK) since this was a joint enterprise. Mark Cooper produced the seed [<i>P. penduliflora</i> (♀) × <i>P. perfoliata</i> (♂)], which Myles Irvine raised.
<i>P. foetida</i> 'Albiflora'	Not in the 2003 Register or checklists. See 2005 colour colour atlas (Ref. 2).
<i>P. 'Fourth of July'</i>	<i>P. ×violacea (♀) × P. kermesina (♂)</i> . See newly-registered cultivars list (2005).
<i>P. 'Francesco III° d'Este'</i>	<i>P. 'Clear Sky' × P. amethystina 'Santa Tereza'</i> . See http://www.passiflora.it/imieibridi.htm
<i>P. 'Gabriela'</i>	<i>P. gardneri (♀) × P. gibertii (♂)</i> . See newly-registered cultivars list (2010).
<i>P. 'Gaia'</i>	<i>P. 'Kew Gardens' (♀) × P. menispermifolia (♂)</i> . See newly-registered cultivars list (2007).
<i>P. 'Gala'</i>	See <i>P. caerulea</i> 'Gala'.
<i>P. 'Gian'</i>	<i>P. incarnata (♀) × P. Céline (♂)</i> . See newly-registered cultivars list (2007).
<i>P. 'Gizmo'</i>	Not in the 2003 Register or checklists. J. Segalen. <i>P. foetida</i> × <i>P. palmeri</i> . See 2005 colour atlas (Ref. 2).

<i>P. 'Golden Jubilee'</i>	<i>P. capsularis</i> (♀) × <i>P. citrina</i> (♂). See newly-registered cultivars list (2004) and <i>Passiflora</i> 14(1), 16 (2004).
<i>P. 'Gloria Moreno'</i>	Not in the 2003 Register or checklists. Patrick Worley. Hybrid of <i>P. mixta</i> and <i>P. manicata</i> ? See 2005 colour atlas (Ref. 2) and http://www.suncrestnurseries.com/descriptcat/passiflora.html .
<i>P. 'Grace Ann'</i>	<i>P. 'Peter Lawrence'</i> (♀) × <i>P. cincinnata</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Grand Duchess'</i>	<i>P. gritensis</i> (♀) × <i>P. loefgrenii</i> 'Iporanga' (♂). See newly-registered cultivars list (2005).
<i>P. 'Grandioso'</i>	<i>P. insignis</i> (♀) × <i>P. pinnatistipula</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Harmonie Daybreak'</i>	<i>P. arida</i> (♀) × <i>P. palmeri</i> var. <i>sublanceolata</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'Harlekin'</i>	<i>P. mooreana</i> (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2004) and <i>Passiflora</i> 14(1), 16 (2004).
<i>P. 'Hartmuts Blue Violett'</i>	Believed to be a synonym of <i>P. 'Amethyst'</i> .
<i>P. 'Hildegard'</i>	<i>P. 'Violetta'</i> × <i>P. caerulea</i> ? For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P. 'Holly'</i>	<i>P. incarnata</i> 'Lorayne' (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2009).
<i>P. 'Honeymoon'</i>	<i>P. kermesina</i> (♀) × <i>P. gritensis</i> (♂). See newly-registered cultivars list (2004).
<i>P. 'Hummingbird'</i>	<i>P. racemosa</i> 'Carioca' (♀) × <i>P. 'Jutta'</i> (♂). See newly-registered cultivars list (2009).
<i>P. 'Ilonka'</i>	<i>P. racemosa</i> (♀) × <i>P. amethystina</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Incakerm'</i>	<i>P. incarnata</i> (♀) × <i>P. kermesina</i> (♂). Tetraploid. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. 'Incantesimo'</i>	<i>P. racemosa</i> × <i>P. mucugeana</i> . Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm .

<i>P.</i> ‘Incemet’	<i>P. incarnata</i> (♀) × <i>P. amethystina</i> (♂). Tetraploid. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. incarnata</i> ‘Dark Purple’	Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Inspiration’	Not in the 2003 Register or checklists. R Fischer. Tetraploid cross of <i>P. incarnata</i> and <i>P. cincinnata</i> .
<i>P.</i> ‘Iporanga’	See <i>P. loefgrenii</i> ‘Iporanga’.
<i>P.</i> ‘Irene’	<i>P.</i> ‘Peter Lawrence’ (♀) × <i>P. cincinnata</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Ivona’	Hybrid of <i>P.</i> ‘Amethyst’. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Jayne T’	<i>P. capsularis</i> (♀) × <i>P. conzattiana</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> ‘Jane Lindsay’	<i>P. retipetala</i> (♀) × <i>P. incarnata</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> ‘Janus’	<i>P. amethystina</i> ‘Minas Gerais’ (♀) × [<i>P. loefgrenii</i> × <i>P. caerulea</i>] (♂). See newly-registered cultivars list (2011).
<i>P.</i> ‘Jendayee’	<i>P. vitifolia</i> (♀) × <i>P. coccinea</i> (♂). See newly-registered cultivars list (2010).
<i>P.</i> ‘Jennifer Grace’	<i>P. quadriglandulosa</i> (♀) × <i>P. poslae</i> sp. nov. (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Joan Marie’	<i>P.</i> ‘Peter Lawrence’ (♀) × <i>P. cincinnata</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘John Crow’	<i>P. subpeltata</i> (♀) × <i>P. pallens</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Justine Lyons’	<i>P.</i> ‘Star of Bristol’ (♀) × <i>P.</i> ‘Purple Haze’ (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Jutta’	Not in the 2003 Register or checklists. <i>Passiflora</i> 13(1), 18 (2003). <i>P. umbilicata</i> × <i>P. tucumanensis</i> .
<i>P.</i> ‘Kate Roberts’	<i>P. sanguinolenta</i> (♀) × <i>P. capsularis</i> (♂). See newly-registered cultivars list (2005).

<i>P. 'Ken'</i>	As shown in 2003 Register, but also known as <i>P. 'Ken Kera'</i> .
<i>P. 'Kermameth'</i>	<i>P. kermesina</i> (♀) × <i>P. amethystina</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P. ×kewensis</i>	Plants now cultivated under this name are not the original hybrid (i.e. <i>P. caerulea</i> × <i>P. kermesina</i>). See <i>P. 'Amethyst'</i> above, <i>Passiflora</i> 12(1), 18-26 (2002), <i>Passiflora</i> 13(1), 19-21 (2003) and <i>Passiflorunde</i> , 10(1), 2-13 (2002). It is proposed to rename this ‘modern’ cultivar as <i>P. 'Kew Gardens'</i> since the first record of its existence is a herbarium specimen at RBG Kew, dated 1954.
<i>P. 'Kew Gardens'</i>	Proposed new name for the cultivar currently cultivated as <i>P. ×kewensis</i> (see above).
<i>P. 'Kudos'</i>	<i>P. 'Kew Gardens'</i> (♀) × <i>P. ×violacea</i> (unnamed backcross) (♂). D. Costen. Same parentage as <i>P. 'Cupid's Blush'</i> and <i>P. 'Tequila Sunrise'</i> .
<i>P. 'Labgirl'</i>	Not in the 2003 Register or checklists. R Fischer. Tetraploid hybrid of <i>P. umbilicata</i> and <i>P. oerstedii</i> var. <i>choconiana</i> .
<i>P. 'Lady Camille'</i>	<i>P. 'Thuraia'</i> (♀) × <i>P.?</i> (♂). Mark Stratton. See newly-registered cultivars list (2008).
<i>P. 'Lady in Red'</i>	<i>P. 'Lady Margaret</i> (♀) × <i>P. vitifolia</i> (♂). See newly-registered cultivars list (2005).
<i>P. 'Lady Margaret'</i>	Shown correctly in the 2003 Register as <i>P. coccinea</i> × <i>P. incarnata</i> , but incorrectly in the 2000 PSI checklist as a hybrid of <i>P. caerulea</i> . Following the revision of certain species within <i>Distephana</i> by John Vanderplank in 2006, the <i>P. coccinea</i> parent could have been <i>P. miniata</i> .
<i>P. 'La Lucchese'</i>	<i>P. 'Fata Confetto'</i> (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2008).
<i>P. 'Lambiekins'</i>	<i>P. 'Emil Kugler'</i> (♀) × <i>P. loefgrenii</i> 'Iporanga' (♂). See newly-registered cultivars list (2006).
<i>P. 'La Morellina'</i>	<i>P. 'Asterix'</i> (♀) × <i>P. amethystina</i> 'Minas Gerais' (♂). See newly-registered cultivars list (2007).

<i>P.</i> ‘Lavender Lady’	A synonym for <i>P.</i> ‘Amethyst’. <i>Passiflora</i> 13(1), 13-16 (2003) and <i>Passiflorunde</i> 11(4), 10-16 (2003).
<i>P.</i> ‘Lavender Rose’	Hybrid of <i>P.</i> ‘Amethyst’. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘La Venexiana’	<i>P. edmundoi</i> (♀) × <i>P.caerulea</i> ‘Pierre Pomie’ (♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Leida’	<i>P. incarnata</i> (♀) × <i>P. cincinnata</i> ‘Dark Pollen’ (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm .
<i>P.</i> 'Lia Vallini'	<i>P.</i> ‘Fata Confetto’ (♀) × <i>P.</i> ‘White Star’ (♂). See newly-registered cultivars list (2011).
<i>P.</i> ‘Linz Red Ribbon’	<i>P. racemosa</i> (♀) × <i>P.</i> × <i>decaisneana</i> (♂). See newly-registered cultivars list (2004) and <i>Passiflora</i> 14(1), 16 (2004).
<i>P.</i> 'Little Dot Beardshaw'	{ <i>P.</i> ‘Amethyst’ (♀) × <i>P. caerulea</i> (♂)}(♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2005).
<i>P. loefgrenii</i> ‘Corupa’	Not in the 2003 Register or checklists. Selection of species from Corupa region of Brazil.
<i>P. loefgrenii</i> ‘Iporanga’	Not in the 2003 Register or checklists. Selection of species from Iporanga region of Brazil.
<i>P.</i> 'Lucid'	<i>P. luzmarina</i> × <i>P. sidaefolia</i> . Unregistered.
<i>P.</i> 'Lucy O'	[<i>P.</i> ‘Amethyst × <i>P. caerulea</i>] (♀) × <i>P.</i> ‘Purple Haze’(♂). See newly-registered cultivars list (2009).
<i>P.</i> ‘Lucy Zara’	<i>P. conzattiana</i> (♀) × <i>P. citrina</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> 'Lunametista'	<i>P. caerulea</i> ‘Constance Elliott’ × <i>P. loefgrenii</i> 'Iporanga'. Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm
<i>P. lutea</i> 'Sapelo'	Selection of species. See newly-registered cultivars list (2011).
<i>P.</i> 'Madeleine Goumas'	<i>P.</i> ‘Lucy Zara’ (♀) × <i>P. cobanensis</i> (♂). See newly-registered cultivars list (2005).

<i>P.</i> ‘Madlena’	<i>P.</i> ‘Byron Beauty’ (♀) × <i>P.</i> aff. <i>oerstedii</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Magic Maiden’	<i>P.</i> <i>gritensis</i> (♀) × <i>P.</i> <i>kermesina</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Maia’	<i>P.</i> ‘Incense’ × <i>P.</i> <i>caerulea</i> ‘Pierre Pomié’. See http://www.passiflora.it/imieibridi.htm
<i>P.</i> ‘Majorca’	See <i>P.</i> <i>caerulea</i> ‘Majorca’.
<i>P.</i> ‘Manapany’	Not in the 2003 Register or checklists. J. Segalen. Tetraploid cross of <i>P.</i> ‘Byron Beauty’ and <i>P.</i> ‘Temptation’. See Ref. 2.
<i>P. manicata</i> ‘Escobar’	Not in the 2003 Register or checklists. Selection of species by Patrick Worley. See http://www.suncrestnurseries.com/descriptcat/passiflora.html .
<i>P.</i> ‘Mantega’	<i>P.</i> ‘Manta’ (♀) × <i>P.</i> <i>megacoriacea</i> (♂). See newly-registered cultivars list (2010).
<i>P.</i> ‘Maria Rosa’	See <i>P.</i> <i>sanguinolenta</i> ‘Maria Rosa’.
<i>P.</i> ‘Mario’	Not in the 2003 Register or checklists. I. Reiber. <i>P.</i> aff. <i>oerstedii</i> × <i>P.</i> <i>menispermifolia</i> .
<i>P.</i> ‘Marisa’	<i>P.</i> × <i>violacea</i> (♀) × <i>P.</i> <i>caerulea</i> ‘Constance Elliott’ ?(♂). See newly-registered cultivars list (2007).
<i>P.</i> ‘Maristella’	<i>P.</i> <i>incarnata</i> × <i>P.</i> <i>kermesina</i> . See newly-registered cultivars list (2010).
<i>P.</i> ‘Marloes’	<i>P.</i> <i>racemosa</i> (♀) × <i>P.</i> <i>caerulea</i> ‘Constance Elliott’ (♂). Full name is <i>P.</i> × <i>violacea</i> ‘Marloes’. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Mauro Peixoto’	See <i>P.</i> <i>eichleriana</i> ‘Mauro Peixoto’.
<i>P.</i> ‘Mauro’s Mission’	<i>P.</i> <i>kermesina</i> (♀) × <i>P.</i> <i>loefgrenii</i> ‘Iporanga’ (♂). See newly-registered cultivars list (2007).
<i>P. menispermifolia</i> ‘Bolivia’	Selection of the species. See http://www.blumen-passiflora.de/shop/index.html .
<i>P.</i> ‘Michael’	Not in the 2003 Register or checklists. <i>P.</i> <i>vitifolia</i> × <i>P.</i> <i>caerulea</i> . See 2005 colour atlas (Ref. 2) and http://www.blumen-passiflora.de/home.htm . A plant

that appears to be *P. 'Michael'* was on sale in the UK in 2010, but labelled as *Passiflora caerulea-racemosa* 'Victoria'.

- P. 'Michaela'* Not in the 2003 Register or checklists. *P. caerulea* × *P. vitifolia*. A different clone to *P. 'Michael'*, with buds which often fail to open. This epithet was originally used for *P. coccinea* ♀ × *P. sp.* ♂, produced by L. Sevcik in 1996 (see Ref 1).
- P. 'Minai'* Not in the 2003 Register or checklists. *P. aff. oerstedii* × *P. menispermifolia*. See 2005 colour atlas (Ref. 2) and <http://www.blumen-passiflora.de/home.htm>.
- P. 'Minas Gerais'* See *P. amethystina* 'Minas Gerais'.
- P. 'Mini Lamb'* *P. 'Purple Haze'* (♀) × *P. loefgrenii* 'Corupa' (♂). See newly-registered cultivars list (2006).
- P. 'Mission Dolores'* *P. parritae* (♀) × *P. antioquiensis* (♂). See newly-registered cultivars list (2008).
- P. 'Mme Dambreville'* *P. 'Kew Gardens'* (♀) × *P. caerulea* (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
- P. 'Mom'* *P. 'Peter Lawrence'* (♀) × *P. quadrangularis* (♂). See newly-registered cultivars list (2007).
- P. 'Monika Fischer'* Tetraploid hybrid of {*P. incarnata* × *P. amethystina*} 4n and {*P. kermesina* × *P. caerulea*} 4n. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). R. Fischer.
- P. 'Morning Star'* *P. 'Angelo Blu'* (♀) × *P. kermesina* (♂). See newly-registered cultivars list (2004).
- P. 'Mrs Merton'* Plant sold at Murabilia, Lucca, Italy, September 2008. Origin unknown.
- P. 'Murac'* *P. mucronata* (♀) × *P. racemosa* (♂). See newly-registered cultivars list (2009).
- P. 'Neptune'* *P. gibertii* (♀) × *P. subpeltata* (♂). See newly-registered cultivars list (2007).
- P. 'New Amethyst'* *P. kermesina* (♀) × *P. caerulea* (♂). Tetraploid. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Full name is *P. ×kewensis* 'New Amethyst'.

<i>P.</i> 'Nicoletta'	Parentage unknown. For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P.</i> 'Night Fever'	Not in the 2003 Register or checklists. Uncertain origin, but appearance suggests it is a synonym for <i>P.</i> 'Amethyst'.
<i>P.</i> 'Nightshift'	<i>P. galbana</i> (♀) × <i>P. racemosa</i> (♂). See newly-registered cultivars list (2009).
<i>P.</i> 'Nils'	<i>P. kermesina</i> (♀) × <i>P. menispermifolia</i> 'Bolivia' (♂). See newly-registered cultivars list (2008).
<i>P.</i> 'Odette'	<i>P. kermesina</i> (♀) × <i>P. miersii</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Opalescence'	[<i>P.</i> 'Kew Gardens' (♀) × <i>P. caerulea</i> 'Constance Elliott' (♂)] (♀) × <i>P. caerulea</i> 'Constance Elliott' (♂). See newly-registered cultivars list (2008).
<i>P.</i> 'Oriental Sunset'	Not in the 2003 Register or checklists. H. Wouters. <i>P. aurantia</i> × <i>P. cinnabarina</i> . See 2005 colour atlas (Ref. 2).
<i>P.</i> 'Padre Pio'	<i>P.</i> 'Annette' (♀) × <i>P. caerulea</i> 'Pierre Pomie' (♂). See newly-registered cultivars list (2009).
<i>P.</i> 'Paloma's Delight'	<i>P. cobanensis</i> (♀) × <i>P. citrina</i> (♂). See newly-registered cultivars list (2004) and Passiflora 14(1), 16 (2004).
<i>P.</i> 'Pamela Jean'	<i>P.</i> 'Pura Vida' (♀) × <i>P. amethystina</i> 'Minas Gerais' (♂). See newly-registered cultivars list (2009).
<i>P.</i> 'Panda'	<i>P.</i> 'Monika Fischer' (♀) × <i>P.</i> 'White Wedding' (♂). See newly-registered cultivars list (2006).
<i>P.</i> 'Paulo'	<i>P. edulis</i> f. <i>flavicarpa</i> (♀) × <i>P. caerulea</i> (♂). See newly-registered cultivars list (2004) and Passiflora 14(1), 16 (2004).
<i>P.</i> 'Perfume Passion'	Trade name for <i>P. ×belotii</i> . used by certain nurseries (e.g. http://www.clearsky.nl/passiflora_products/?contentid=92&lang=UK)
<i>P.</i> 'Pico de Itapeva'	See <i>P. amethystina</i> 'Pico de Itapeva'.
<i>P.</i> 'Pico do Frade'	See <i>P. amethystina</i> 'Pico do Frade'.

<i>P.</i> 'Pink Favorite'	<i>P. insignis</i> (♀) × <i>P. luzmarina</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Pink Festival'	<i>P. gritensis</i> (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> 'Pink Fizz'	<i>P.</i> 'Kew Gardens' (♀) × <i>P. tucumanensis</i> (♂). See newly-registered cultivars list (2008).
<i>P.</i> 'Pink Jessie'	{ <i>P. sanguinolenta</i> (♀) × <i>P. capsularis</i> (♂)}(♀) × <i>P. conzattiana</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> 'Pink Nightmare'	Not in the 2003 Register or checklists. R. Fischer. <i>P. subpeltata</i> × <i>P. gritensis</i> .
<i>P.</i> 'Pink Panther'	See <i>P. tripartita</i> var. <i>mollissima</i> 'Pink Panther'.
<i>P.</i> 'Pink Passion'.	Trade name for <i>P.</i> 'Wilgen K. Verhoeff' used by certain nurseries (e.g. http://passieplant.nl/?contentid=92&cat=2&lang=UK)
<i>P.</i> 'Pink Polkadot'	<i>P.</i> 'Pink Jewel' (♀) × <i>P.</i> 'Aurora' (♂). See newly-registered cultivars list (2004).
<i>P.</i> 'Pink Seduction'	Not in the 2003 Register or checklists. H. Wouters. Complex hybrid of <i>P.</i> 'Amethyst', <i>P. subpeltata</i> and <i>P. gritensis</i> .
<i>P.</i> 'Pinky'	<i>P.</i> × <i>exoniensis</i> (♀) × <i>P. mixta</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> × <i>piresiae</i>	Originally known as <i>P.</i> × <i>piresii</i> , this hybrid of <i>P. quadrifaria</i> and <i>P. vitifolia</i> , created by John Vanderplank, has also been shown in some lists as <i>P.</i> × <i>piresea</i> or <i>P.</i> × <i>piresae</i> .
<i>P.</i> 'Polaris'	L.A.King, 2010. Unregistered. Parentage undeclared.
<i>P.</i> 'Polly Molly'	<i>P. citrina</i> (♀) × <i>P. conzattiana</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> 'Poppet'	<i>P.</i> 'White Wedding' (♀) × <i>P.</i> 'Mini Lamb' (♂). See newly-registered cultivars list (2008).
<i>P.</i> 'Postman'	<i>P. caerulea</i> (♀) × <i>P. oerstedii</i> var. <i>choconiana</i> (♂). See newly-registered cultivars list (2004).

<i>P.</i> 'Precisio'	<i>P.</i> 'Blue Moon' (♀) × <i>P. alata</i> (♂). See newly-registered cultivars list (2004). The name should read <i>P.</i> 'Precioso'.
<i>P.</i> 'Princesse Hollande'	Origin unknown. See Ref. 4 (page 32).
<i>P.</i> 'Priscilla'	<i>P. palmeri</i> var. <i>sublanceolata</i> (♀) × <i>P. foetida</i> var. <i>foetida</i> (♂). See newly-registered cultivars list (2008).
<i>P.</i> 'Purple Companion'	<i>P.</i> 'Morning Star' (♀) × <i>P. amethystina</i> 'São Sebastião' (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Purple-heart'	<i>P. amethystina</i> 'São Sebastião' (♀) × <i>P. amethystina</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> 'Purple Passion'	Trade name for a tetraploid hybrid of <i>P. kermesina</i> and <i>P. caerulea</i> ? Used by certain nurseries (e.g. http://www.clearsky.nl/passiflora_products/?contentid=92&lang=UK)
<i>P.</i> 'Purple Pendulum'	<i>P. loefgrenii</i> × <i>P. caerulea</i> . Jos Spierenburg.
<i>P.</i> 'Purple Rain'	This epithet has been applied to two cultivars: (i) Tetraploid (<i>P. caerulea</i> × <i>P.</i> 'Purple Haze'): the trade name of the cultivar also known as <i>P.</i> 'Jara' (ii) <i>P. amethystina</i> × <i>P. caerulea</i> .
<i>P.</i> 'Quasar'	Not in the 2003 Register or checklists. Patrick Worley. Believed to be a hybrid of <i>P. caerulea</i> 'Constance Elliott' × <i>P. pallens</i> . Also shown as <i>P.</i> 'Quazar'. See http://www.suncrestnurseries.com/descriptcat/passiflora.html .
<i>P.</i> 'Queen Beatrix'	Not in the 2003 Register or checklists. <i>P. subpeltata</i> × <i>P. gritensis</i> . See http://www.blumen-passiflora.de/home.htm .
<i>P. racemosa</i> 'Buzios'	Selection of species with long white coronal filaments. Mauro Peixoto. http://www.brazilplants.cjb.net/
<i>P. racemosa</i> 'Carioca'	Selection of species with long white coronal filaments. Similar to the unregistered <i>P. racemosa</i> 'Buzios'. See newly-registered cultivars list (2006).
<i>P.</i> 'Raspberry Strudel'	<i>P.</i> 'Annette' (♀) × <i>P. incarnata</i> (♂). Not registered.
<i>P.</i> 'Red Cloud'	Not in the 2003 Register or checklists. R Fischer. Same parentage as <i>P.</i> 'Coocochee', i.e. (<i>P.</i> 'Amethyst' × <i>P. racemosa</i>) × <i>P. gritensis</i> .

<i>P.</i> 'Red Dwarf'	<i>P. cuprea</i> (♀) × ? (♂). See newly-registered cultivars list (2004).
<i>P.</i> 'Red Fury'	<i>P. racemosa</i> (♀) × <i>P. quadriglandulosa</i> (♂). See newly-registered cultivars list (2010).
<i>P.</i> 'Rinconata'	<i>P. cincinnata</i> (♀) × <i>P.caerulea</i> 'Constance Elliott' (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Rook Li'	Origin unknown. See Ref. 4 (page 33).
<i>P.</i> 'Rosamari'	<i>P.</i> 'Simpin' (♀) × <i>P.loefgrenii</i> 'Corupa' (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Rosemary'	Hybrid of <i>P. racemosa</i> ? For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P.</i> 'Rossana'	Not in the 2003 Register or checklists. Maurizio Vecchia. (<i>P.</i> 'Angelo Blu' × <i>P. phoenicea</i>). See 2005 colour atlas (Ref. 2). See http://www.passiflora.it/imieibridi.htm .
<i>P.</i> 'Rowena'	Hybrid of <i>P. incarnata</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> 'Royale'	<i>P.macrocarpa</i> (♀) × <i>P.quadrangularis</i> (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Sammie B'	<i>P.</i> 'Pink Jessie' (♀) × <i>P.</i> 'Lucy Zara' (♂). See newly-registered cultivars list (2005).
<i>P. sanguinolenta</i> 'Maria Rosa'	Not in the 2003 Register or checklists. Selection of species by Patrick Worley. See http://www.suncrestnurseries.com/descriptcat/passiflora.html .
<i>P.</i> 'São Sebastião'	See <i>P. amethystina</i> 'São Sebastião'.
<i>P.</i> 'Sapphire'	Now believed to be <i>P. edulis</i> f. <i>flavicarpa</i> × <i>P. caerulea</i> . Passiflorunde 9(4), 8-9 (2001).
<i>P.</i> 'Sarapito'	<i>P.</i> 'White Wedding' (♀) × <i>P. caerulea</i> 'Emil Kugler' (♂) See newly-registered cultivars list (2007).
<i>P.</i> 'Schalker Siegestaumel'	<i>P.</i> 'Tinalandia' × <i>P.</i> 'Darina'. For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P.</i> 'Serenity'	Not registered. John Vanderplank, 2006.

	<i>P.</i> ‘Star of Bristol’ (♀) × ?
<i>P.</i> ‘Shelly’	According to the breeder (Henk Wouters), this is <i>P. ×violacea</i> × <i>P. caerulea</i> and not <i>P.</i> ‘Amethyst’ × <i>P. caerulea</i> as shown in the 2001 checklists and the 2003 Register.
<i>P.</i> ‘Shemsa’	Intraspecific hybrid of <i>P. foetida</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Sherry’	F. Moser. Believed to be a hybrid of <i>P. incarnata</i> and <i>P. coccinea</i> (<i>P. miniata</i>). See http://www.waysidegardens.com/webapp/wcs/stores/servlet/StoreCatalogDisplay?
<i>P.</i> ‘Sjana’	<i>P. coccinea</i> (♀) × <i>P. incarnata</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Following the revision of certain species within <i>Distephana</i> by John Vanderplank in 2006, the <i>P. coccinea</i> parent could have been <i>P. miniata</i> .
<i>P.</i> ‘Smelly’	Not in the 2003 Register or checklists. <i>P. ×kewensis</i> (<i>sic</i>) × <i>P. retipetala</i> . See 2005 colour atlas (Ref. 2) and http://www.blumen-passiflora.de/home.htm .
<i>P.</i> 'Snowflake'	<i>P. citrina</i> (♀) × <i>P. cobanensis</i> (♂). See newly-registered cultivars list (2004) and Passiflora 14(1), 16 (2004).
<i>P.</i> ‘Snow White’	Passiflora 13(1), 18 (2003). (<i>P. caerulea</i> × <i>P.</i> ‘Amethyst’)? × <i>P.</i> ‘Sapphire’.
<i>P.</i> 'Soi Fah'	Thought to be a hybrid of <i>P. laurifolia</i> and <i>P. caerulea</i> . See newly-registered cultivars list (2008).
<i>P.</i> 'Solange'	<i>P.</i> ‘Peter Lawrence’ (♀) × (<i>P. quadrifaria</i> × <i>P. vitifolia</i> [=“ <i>P. ×piresae</i> ”]) (♂). See newly-registered cultivars list (2007).
<i>P.</i> 'Solène'	<i>P. vitifolia</i> (♀) × <i>P. incarnata</i> (♂). See newly-registered cultivars list (2011).
<i>P.</i> ‘Sonia’	<i>P.</i> ‘Clear Sky’ (♀) × <i>P. caerulea</i> ‘Constance Elliott’ (♂). See newly-registered cultivars list (2004).
<i>P.</i> 'Sonja Dülli'	<i>P. vitifolia</i> (♀) × <i>P. incarnata</i> f. <i>alba</i> (♂). See newly-registered cultivars list (2009).
<i>P.</i> ‘Spider’	<i>P. ×violacea</i> × <i>P. ×colvillii</i> . Not as shown in the Passiflorunde (2001) checklist.

<i>P. 'Sprinkle Rain'</i>	<i>P. 'Blaumilch' (♀) × P. gritensis (♂)</i> . See newly-registered cultivars list (2005).
<i>P. 'Starlight'</i>	<i>P. alata (♀) × P. caerulea (♂)</i> . See newly-registered cultivars list (2004).
<i>P. 'Star of Bristol'</i>	Created by John Vanderplank in the 1980's, this hybrid of <i>P. 'Amethyst'</i> had <i>P. caerulea 'Constance Elliott'</i> as the male parent rather than the normal form of <i>P. caerulea</i> as is commonly listed. If the parent is accepted as <i>P. ×kewensis 'Amethyst'</i> , then the full name of this backcross is <i>P. ×kewensis 'Star of Bristol'</i> .
<i>P. 'Star of Clevedon'</i>	Created by John Vanderplank in the 1980's, this hybrid of <i>P. 'Amethyst'</i> had <i>P. caerulea 'Constance Elliott'</i> as the male parent rather than the normal form of <i>P. caerulea</i> as is commonly listed. If the parent is accepted as <i>P. ×kewensis 'Amethyst'</i> , then the full name of this backcross is <i>P. ×kewensis 'Star of Clevedon'</i> .
<i>P. 'Star of Evening'</i>	<i>P. racemosa (♀) × P. mucronata (♂)</i> . See newly-registered cultivars list (2009).
<i>P. 'Star of Kent'</i>	<i>P. 'Amethyst' (♀) × P. 'Clear Sky' (♂)</i> . See newly-registered cultivars list (2008). Subsequent DNA analysis, using flow cytometry, showed that this is a diploid, not a triploid as originally suspected. The male parent must have been a normal form of (diploid) <i>P. caerulea</i> .
<i>P. 'Star of Kingston'</i>	Created by John Vanderplank in the 1980's, this hybrid of <i>P. 'Amethyst'</i> had <i>P. caerulea 'Constance Elliott'</i> as the male parent rather than the normal form of <i>P. caerulea</i> as is commonly listed. If the parent is accepted as <i>P. ×kewensis 'Amethyst'</i> , then the full name of this backcross is <i>P. ×kewensis 'Star of Kingston'</i> .
<i>P. 'Star of Mikan'</i>	A synonym for <i>P. 'Amethyst'</i> . <i>Passiflora</i> 13(1), 13-16 (2003) and <i>Passiflorunde</i> 11(4), 10-16 (2003).
<i>P. 'Star of Surbiton'</i>	<i>P. 'Star of Bristol' (♀) × P. 'Purple Haze' (♂)</i> not <i>P. 'Star of Bristol' × P. ?</i> as shown in the 2003 Register. Named by breeder Myles Irvine in honour of John Vanderplank's 'Star of hybrids'. 2003 Register incorrectly describes flowers as being like <i>P. 'Star of Bristol'</i> whereas they are white with pale coronal filaments with blue tips. See

<http://www.passionflow.co.uk/passionflowerpassiflora-star-of-surrey.htm>

- P.* ‘Steining’ Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
- P.* ‘Stockumer Rot’ Not in the 2003 Register or checklists. *P. racemosa* × *P. ×decaisneana*. See <http://www.blumen-passiflora.de/home.htm>.
- P.* 'Strawberry and Cream' *P. 'Colet'* (♀) × *P. amethystina* (♂). See newly-registered cultivars list (2007).
- P.* 'Strybing Pink' *P. paritae* (♀) × *P. tripartita* var. *mollissima* (♂). See newly-registered cultivars list (2009).
- P.* 'Suave' *P. eichleriana* (♀) × *P. garkei* (♂). See newly-registered cultivars list (2009).
- P.* 'Sulita' *P. ornithoura* (♀) × *P. boenderi* (♂). See newly-registered cultivars list (2010).
- P.* 'Summer Blush' *P. 'Lady Margaret'* (♀) × *P. vitifolia* (♂). See newly-registered cultivars list (2005).
- P.* ‘Sundance’ Passiflora 13(1), 18 (2003). (*P. caerulea* × *P. 'Amethyst'*)? × *P. 'Sapphire'*.
- P.* ‘Sunfire’ *P. 'Sunburst'* (♀) × *P. cuprea* (♂). See newly-registered cultivars list (2010).
- P.* 'Susan Joy' *P. ×piresiae* (♀) × *P. ?* (♂). See newly-registered cultivars list (2007).
- P.* ‘Susanne’ *P. caerulea* (♀) × *P. 'Star of Clevedon'* (♂). Not in the 2003 Register, but listed in 2001 checklists. See 2005 colour atlas (Ref. 2).
- P.* ‘Sweetleaf’ Not in the 2003 Register or checklists. D. Costen.
P. vitifolia × *P. incarnata*.
- P.* 'Sweet Surrender' *P. garkei* (♀) × *P. kermesina* (♂). See newly-registered cultivars list (2005).
- P.* ‘Swingtime’ *P. 'Pura Vida'* (♀) × *P. amethystina* São Sebastião (♂). See newly-registered cultivars list (2004).
- P.* ‘Telstar’ Not in the 2003 Register or checklists. *P. caerulea* × [*P. caerulea* (♂) × *P. racemosa* (♀)], i.e. a form of *P. ×violacea*. In a 1972 catalogue from Neil Treseder.

<i>P.</i> ‘Temptation’	R Fischer. Tetraploid equivalent of <i>P.</i> ‘Incense’ (<i>P. incarnata</i> × <i>P. cincinnata</i>).
<i>P.</i> ‘Tequila Sunrise’	<i>P.</i> ‘Kew Gardens’ (♀) × <i>P.</i> × <i>violacea</i> (unnamed backcross) (♂). D. Costen. Same parentage as <i>P.</i> ‘Kudos’ and <i>P.</i> ‘Cupid’s Blush’.
<i>P.</i> ‘Thessa’	<i>P.</i> ‘Pura Vida’ × <i>P. garckeii</i> . For sale in 2010 at http://www.blumen-passiflora.de/wb/
<i>P.</i> ‘Thuraia’	<i>P. kermesina</i> (♀) × <i>P. miersii</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Tiara’	<i>P. kermesina</i> (♀) × <i>P. sidaefolia</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> ‘Tiffani’	<i>P. incarnata</i> ‘Lorayne’ (♀) × <i>P. kermesina</i> (♂). See newly-registered cultivars list (2004).
<i>P.</i> ‘Timben’	[<i>P. capsularis</i> ‘Vanilla Cream’ × <i>P. conzattiana</i>] (♀) × <i>P. citrina</i> (♂). See newly-registered cultivars list (2009).
<i>P. tripartita</i> var. <i>mollissima</i> ‘Pink Panther’	See newly-registered cultivars list (2004).
<i>P.</i> ‘Trauf’	Complex hybrid of <i>P. manicata</i> , <i>P. trisecta</i> and <i>P. umbilicata</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Tropical Showers’	<i>P.</i> ‘Blaumilch’ (♀) × <i>P. gritensis</i> (♂). See newly-registered cultivars list (2005).
<i>P.</i> ‘Twin Star’	<i>P.</i> × <i>violacea</i> (♀) × <i>P. racemosa</i> (♂). Full name is <i>P.</i> × <i>violacea</i> ‘Twin Star’. See newly-registered cultivars list (2004).
<i>P.</i> ‘Twisted Sister’	<i>P.</i> ‘Temptation’ (♀) × <i>P.</i> ‘Byron Beauty’ (♂). See newly-registered cultivars list (2010).
<i>P.</i> ‘Valentine’	<i>P.</i> ‘Temptation’ (♀) × P.? (♂). See newly-registered cultivars list (2010).
<i>P.</i> ‘Valerie Bishop’	<i>P.</i> × <i>violacea</i> ‘Victoria’ (♀) × <i>P. caerulea</i> (♂). Full name is <i>P.</i> × <i>violacea</i> ‘Valerie Bishop’. See newly-registered cultivars list (2005).
<i>P.</i> ‘Velvet Beauty’	Passiflora 13(1), 18 (2003). [<i>P. caerulea</i> (♂) × <i>P. racemosa</i> (♀)] × <i>P. caerulea</i> . Full name is therefore <i>P.</i> × <i>violacea</i> ‘Velvet Beauty’.

<i>P. 'La Venexiana'</i>	<i>P. edmundoi</i> × <i>P. caerulea</i> 'Pierre Pomié'. See http://www.passiflora.it/imieibridi.htm
<i>P. 'Vivacemente'</i>	<i>P. incarnata</i> f. <i>alba</i> × <i>P. cincinnata</i> 'Dark Pollen'. Maurizio Vecchia. See http://www.passiflora.it/imieibridi.htm .
<i>P. 'Vlasta'</i>	Two quite distinct cultivars bear this name. Believed to be the hybrid <i>P. incarnata</i> × <i>P. racemosa</i> , it is shown as having pink petals and a white corona, e.g. 2005 colour atlas (Ref. 2) or white petals and a dark purple corona (http://www.passionflow.co.uk/vlastaclose.htm)
<i>P. 'Volcano'</i>	<i>P. 'Mary Jane'</i> (♀) × <i>P. ?</i> (♂). See newly-registered cultivars list (2007).
<i>P. 'White Lightning'</i>	Not in the 2003 Register or checklists. A selection of <i>P. caerulea</i> . Stephen and Susan Yandall, Cornwall, UK. Believed to be subject to Plant Breeders Rights.
<i>P. 'White Mirror'</i>	<i>P. 'White Wedding'</i> (♀) × <i>P. caerulea</i> 'Emil Kugler' (♂). Not registered. Similar to <i>P. 'Winterland'</i> and <i>P. 'Sarapito'</i> .
<i>P. 'White Queen'</i>	<i>P. caerulea</i> 'Constance Elliott' (♀) × <i>P. eichleriana</i> (♂). See newly-registered cultivars list (2004).
<i>P. 'White Wedding'</i>	<i>P. caerulea</i> 'Constance Elliott' (♀) × <i>P. eichleriana</i> (♂). Tetraploid. See newly-registered cultivars list (2004).
<i>P. 'Wild Brazil'</i>	See <i>P. caerulea</i> 'Wild Brazil'.
<i>P. 'Wilgen Heintje'</i>	Not in the 2003 Register or checklists. P. Moerman. <i>P. racemosa</i> × <i>P. alata</i> . See 2005 colour atlas (Ref. 2).
<i>P. 'Wilgen Hennie'</i>	Not in the 2003 Register or checklists. P. Moerman. <i>P. racemosa</i> × <i>P. alata</i> . From the same fruit as <i>P. 'Wilgen Heintje'</i> .
<i>P. 'Wilgen R. Robbertsen'</i>	<i>P. insignis</i> × <i>P. mixta</i> . P. Moerman.
<i>P. 'Wilgen K. Verhoeff'</i>	<i>P. insignis</i> × <i>P. mixta</i> . P. Moerman. Also known as <i>P. 'Pink Passion'</i> . http://passieplant.nl/?contentid=92&cat=2&lang=UK
<i>P. 'Winterland'</i>	<i>P. 'White Wedding'</i> (♀) × <i>P. caerulea</i> 'Emil Kugler' (♂). See newly- registered cultivars list (2007).

<i>P.</i> ‘Wippel’	<i>P. racemosa</i> (♀) × <i>P. caerulea</i> ‘Constance Elliott’ (♂). Full name is <i>P. ×violacea</i> ‘Wippel’. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Witchcraft’	Not in the 2003 Register or checklists. P. Worley. Parentage not stated. See 2005 colour atlas (Ref. 2) and http://www.suncrestnurseries.com/descriptcat/passiflora.html .
<i>P.</i> ‘Yakima’	<i>P. amethystina</i> (♀) × <i>P. loefgrenii</i> ‘Corupa’ (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Yalinga’	<i>P. amethystina</i> (♀) × <i>P. loefgrenii</i> ‘Corupa’ (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘Yola’	<i>P.</i> ‘Wilgen Marieke’ (♀) × <i>P. loefgrenii</i> ‘Corupa’ (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> 'Yuki'	<i>P. ×violacea</i> 'Victoria' (♀) × <i>P. mucronata</i> (♂). See newly-registered cultivars list (2009).
<i>P.</i> 'Zefira'	<i>P.</i> 'Odette' × <i>P. kermesina</i> . See newly-registered cultivars list (2010).
<i>P.</i> ‘12941’	<i>P. racemosa</i> (♀) × <i>P. caerulea</i> ‘Grandiflora’ (♂). Full name is <i>P. ×violacea</i> ‘12941’. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘13971’	<i>P. coccinea</i> (♀) × <i>P. incarnata</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Following the revision of certain species within <i>Distephana</i> by John Vanderplank in 2006, the <i>P. coccinea</i> parent could have been <i>P. miniata</i> .
<i>P.</i> ‘14971’	<i>P. coccinea</i> (♀) × <i>P. incarnata</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Following the revision of certain species within <i>Distephana</i> by John Vanderplank in 2006, the <i>P. coccinea</i> parent could have been <i>P. miniata</i> .
<i>P.</i> ‘19932’	<i>P. coccinea</i> (♀) × <i>P. incarnata</i> (♂). Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2). Following the revision of certain species within <i>Distephana</i> by John Vanderplank in 2006, the <i>P. coccinea</i> parent could have been <i>P. miniata</i> .

<i>P.</i> ‘21932’	<i>P. ×violacea</i> ‘Viden’ (♀) × <i>P. caerulea</i> . (♂). Full name is <i>P. ×violacea</i> ‘21932’. Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘49961’	Hybrid of <i>P. ×violacea</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).
<i>P.</i> ‘61961’	Complex hybrid of <i>P. racemosa</i> , <i>P. tucumanensis</i> and <i>P. caerulea</i> . Not in the 2003 Register or checklists. See 2005 colour atlas (Ref. 2).

L A King, 17 June 2011

References

1. A. Frank, E. Kugler and L.A. King, Hybrids and Cultivars of Passion Flowers: A Checklist for the Genus Passiflora, Passiflorunde, Special Issue No. 2 (2001)
[Download PDF](#)
2. B. Ulmer and T. Ulmer, Farbatlas Passionsblumen/Colour Atlas Passionflowers, Formosa Verlag, Witten, Germany, (2005)
3. L. A. King and M. S. Irvine, Archive of the discussion list ‘PASSIFLORA-L@NIC.SURFNET.NL’ Oct 1997- Sept 2010;
<http://www.passionflow.co.uk/passion-flower-passiflora-articles.htm>
4. E. Wortman and C. Stone, 2010 Passiflora Society International Meeting in Cormeray, France, Passiflora Online Journal, June 2011;
<http://www.passionflow.co.uk/passiflora-online-journal.htm>